HARFORD COUNTY: Getting PrEPared

Lynda Boegner BSN, RN
Harford County Health Department
June 5, 2018



Cows, tractors, and more...











Rural, conservative county... tread lightly!



PrEP Program Development

- Very few private providers offer PrEP several weeks to get in, insured only
- Wanted to offer service to our community, initiated grant proposal
- Reviewed CDC and US Public Health Service Clinical Guidelines



HCHD CLINICAL ELIGIBILITY AND ALGORITHM

Developed eligibility guidelines and clinical algorithm based on CDC recommendations and US Public Health Service Clinical Practice Guidelines

US Public Health Service

PREEXPOSURE PROPHYLAXIS FOR THE PREVENTION OF HIV INFECTION IN THE UNITED STATES – 2017 UPDATE

A CLINICAL PRACTICE GUIDELINE

**Procession Prophylates for the Procession of the Ministers in the about 5 days - 2027 Update Cloned Pacities Guideline Fig. 1 d. 77





PrEP Patient Eligibility Guidelines

Men Who Have Sex With Men (MSM)

A gay, bisexual, or other man who has had sex with a man in the past 6 months

- Not in a mutually monogamous relationship with a known HIV negative partner
- · AND one of the following:
 - Ongoing sex with a HIV positive partner
 - Any sex without condoms in the past 6 months
 - Any STI in the past 6 months

Heterosexual Women And Men

A woman who has had sex with a man or a man who has had sex with a woman in the past 6

- · Not in a mutually monogamous relationship with a known HIV negative partner
- AND one of the following:
 - · Ongoing sex with a HIV positive partner
 - Any sex without condoms in the past 6 months
 - · Any STI in the past 6 months

People Who Inject Drugs (PWID)

A person with injection drug use not prescribed by a clinician in the past 6 months or a person with a past or current history of treatment for injection drug use

- Not in a mutually monogamous relationship with a known HIV negative partner
- AND one of the following:
 - Any sharing of injection or drug preparation equipment in the past 6 months
 - Ongoing sex with a HIV positive partner
 - Any sex without condoms in the past 6 months
 - Any STI in the past 6 months





HIV Pre-Exposure Prophylaxis Clinical Guide

iitial Visi

- Assess patient eligibility for and interest in PrEP
- Assess for acute HIV symptoms (Refer to ER/Chase Brexton for HIV PEP if high risk in last 72 hrs)
- Discuss PrEP benefits and risks
- Assess patient willingness to take PrEP daily
- Discuss HIV/STI risk reduction
- Perform or schedule laboratory tests
 - HIV test, rule out HIV infection (negative HIV test within one week of starting PrEP)
 - STI testing (syphilis, gonorrhea, chlamydia)
 - Basic metabolic panel
 - Viral hepatitis A/B/C testing
 - Urinalysis
- Pregnancy test, as indicated
- · Offer hepatitis A/B vaccination, HPV vaccination if age appropriate



Confirm negative HIV test and creatinine clearance level Prescribe 30-day supply with no refills



Perform 2 week follow up call and assess side effects



0-Day Visit

- Assess side effects, medication adherence, and acute HIV symptoms
- Review HIV/STI risk reduction
- Perform or schedule laboratory tests
 - HIV test, rule out HIV infection
 - Pregnancy test

Prescribe 30-day supply with 1 refill



-Month Vis

- · Assess side effects, medication adherence, and acute HIV symptoms
- Review HIV/STI risk reduction
- Perform or schedule laboratory tests
 - · HIV test, rule out HIV infection
 - STI testing (syphilis, gonorrhea, chlamydia, hepatitis C)
 - Serum creatinine and calculated creatinine clearance
 - Urinalysis
- Pregnancy test, as indicated

Prescribe 90-day supply



Annth Visi

- Review HIV/STI risk reduction
- Perform or schedule laboratory tests
 - · HIV test, rule out HIV infection
 - STI testing (syphilis, gonorrhea, chlamydia, hepatitis C)
 - Pregnancy test, as indicated

Prescribe 90-day supply

Every 3 months

- Assess side effects, medication adherence, and acute HIV symptoms
- · Review HIV/STI risk reduction
- Perform or schedule laboratory tests
- HIV test, rule out HIV infection
 STI testing (syphilis, gonorrhea,
- chlamydia, hepatitis C)
 Pregnancy test, as indicated

Every 6 months

- · Serum creatinine
- Urinalysis to look for proteinuria, glucosuria

Consider bone mineral density testing in clients with predisposition to low bone mineral density



TRAINING OUR STAFF

- JHU PrEP Skills Building Workshop
- MDH trainings
- UrSure



Other PrEParations

- Clinic/lab capacity—In house
- Budget—Staff, Medications, Vaccines, Education Supplies, Advertisement
- Insurance/Navigators—On site
- Transportation contract-cab service
- Customer Service
 - All Inclusive Language
 - Respectful Care/No Fear Tactics




PrEP Program Demographics

Race/Ethnicity		Insurance status	
White, non-Hispanic	9	No insurance	0
Black, non-Hispanic	1	Private	6
Hispanic/Latino	2	Medical Assistance	7
Other	1		
		Referral source	
Gender Identity		STI Clinic	7
Male	13	Outpatient physician	0
Female	0	Other	6
Trans-Male	0		
Trans-Female	0	Case Management only	2
Other	0		
		Attended follow up (Studies show higher	
Indications for PrEP		adherence when clients retained in care)	
MSM	13	3 month f/u	7
Heterosexual W/M	0	6 month f/u	7
PWID	1	9 month f/u	2
Serodiscordant couple	3	1 year f/u	2
Mean age at PrEP initiation	30	Self reported doses taken,	6.7
		past 7 days	
Age range	19 to 47		63


Harford County Health Department

ODE TO CESAR...


Race/Ethnicity




Insurance



Indications for PrEP



Referral Source





SUCCESSES

- Smooth launch
- Supportive staff/community partners
- Advertisement Campaign
- Happy clients



CHALLENGES

- Adherence and treatment retention in clients with substance use disorders.
- Stigma—PrEP associated with high risk sexual behavior
- Black Same Gender Loving Men, especially those under 25, not seeking PrEP
- Risk compensation/decreased condom use/higher incidence of STIs



FUTURE GOALS

- "Intersecting Issues/Integrated Solutions"— Implementation of PrEP in those with substance use disorders, getting Behavioral Health services on board
- Telemedicine: Zoom (<u>www.zoom.us/healthcare</u>)
- Humana Contract for military referrals
- Uber Contract
- Outreach: "Right Here" Initiative



Special thanks to:

- Kip Castner, MDH Prevention and Health Promotion Administration
- Paul Foster, MDH PrEP Coordinator
- Harford County Health Department Staff



PrEP Resources

- PrEP Support Hotline for Clinicians,
 1-855-448-7737 (1-855-HIV-PREP)
- Maryland Prevention and Health Promotion Administration (Kip Castner and Paul Foster)

http://phpa.dhmh.maryland.gov

 Harford County Health Department (lynda.boegner@maryland.gov)



